



Detergents that are diluted before use contain active agents (surfactants and other additives) giving them their detergent capability. Being less toxic and non-flammable, detergents are alternatives to solvents in the field of surface cleaning (cleaning, degreasing and stripping of metals...)  
No declaration or authorization is needed for storing this detergent.

**Detergent storage:**

- Each recipient must be properly labeled (the label must be reproduced each time the contents are split)
- The premises must be cool and efficiently ventilated, protected from any source of heat or ignition (beams of sunlight, flames, sparks, etc.)
- The floor must be fireproof, waterproof and form a retention basin so that in the event of accidental spillage, the liquid cannot spread out
- Fire extinguisher, a shower and a safety eyewash must be installed nearby
- The corridors must be wide enough to allow the passage of people and/or handling machines
- Emergency exits must be kept clear and properly posted.

**Detergent handling:**

- People using detergents (and people working nearby) must be informed of the risks these products represent, of the precautions to be observed and of the steps to be taken in the event of an accident (cf. FDS)
- Never transfer a detergent into a recipient that has contained another chemical
- Avoid dumping to the drain
- Minimise losses due to evaporation (open packages, etc.)
- Wash your hands frequently with mild soap, especially before eating or drinking
- Never wash your hands with a detergent
- Do not drink, eat or smoke in rooms where the detergents are used
- In the event of leakage or accidental spillage, mop up the product immediately, first covering it with inert absorbent material (sawdust, etc.) of which a store is kept nearby.

**Management of used detergent:**

The used products are considered as special industrial waste (SIW) - waste containing polluting elements in more or less high concentrations and representing certain risks for the health of man and the environment, and must be handed over to approved recovery organizations.

# TOTAL FINADET FPI

## NSF homologated special agrofood industry detergent



Food industry

WD COMMUNICATION - 11/2003 - Photo credits: TOTAL LUBRIFIANTS - Printed in France

**TOTAL LUBRIFIANTS**  
16, rue de la République  
F 92922 Paris La Défense Cedex  
Tel. : 33 1 41 35 40 00  
[www.lubricants.total.com](http://www.lubricants.total.com)



**TOTAL**



**TOTAL**

# TOTAL FINADET FPI

## NSF homologated special agrofood industry detergent



### APPLICATIONS

- Cleaning of metal parts
- Cleaning of painted or coated surfaces
- Cleaning of plastic materials
- Cleaning of conveyor belts
- Cleaning of conditioning machines
- Cleaning of storage tanks
- Cleaning of floor surfaces
- Cleaning of bodywork
- Cleaning of cells for food transport
- Interior and exterior cleaning of light vehicles, commercial vehicles or heavy goods vehicles intended for food transport

#### Application fields

- Industry
- Food



Meets the requirements of the food industries:  
 - conforming to the ruling of 8 September 1999 used in application of article 11 of decree No. 73-138 of 12 February 1973 amended, concerning the application of the law of 1st August 1905 relating to fraud and falsification of processes and products used for cleaning materials and objects intended to be brought into contact with foodstuffs, products and drinks for human and animal consumption.  
 - NSF homologated.

### PROPERTIES

- Detergent meeting the requirements of the food industries.  
 Formula with very high active matter content eliminating efficiently all types of pollution: oils, greases, waxes, inorganic pollution, etc.  
 Forms a rich foam, self-active, easy to rinse  
 High stain removing power.
- Meets the needs of users during cleaning operations for which the procedures require a certified product that can be used in the agrofood industries as part of a HACCP (Hazard Analysis Critical Control Point).



Packaging:  
 • Drums: 220 kg  
 • Barrels: 30 kg



### CHARACTERISTICS

TOTAL FINADET FPI	Standard	Values	Unit
Appearance	Visual	Limpid	
Color	Visual	Yellow	
Density at 25°C	NF EN ISO 12 185	1086	Kg/m <sup>3</sup>
Perfume	Olfactory	Fresh mint	
Ph at 5%	NF EN 1262	11,4	
Freezing point	ASTM D 97	-7	°C

### PERCENTAGE OF USE

APPLICATIONS	PERCENTAGE OF USE			
<ul style="list-style-type: none"> <li>• Cleaning of metal parts</li> <li>• Cleaning of painted or coated surfaces</li> <li>• Cleaning of plastic materials</li> <li>• Cleaning of conveyor belts</li> <li>• Cleaning of conditioning machines</li> <li>• Cleaning of storage tanks</li> <li>• Cleaning of floor surfaces</li> </ul>	Straight or diluted, depending on the staining level.			
<ul style="list-style-type: none"> <li>• Cleaning of bodywork</li> <li>• Cleaning of cells for food transport</li> <li>• Interior and exterior cleaning of light vehicles, commercial vehicles or heavy goods vehicles intended for food transport</li> </ul>	2 to 8% depending on staining and cleaning equipment			
	Cleaning equipment	Hot foam guns	Roller gantries	Independent sprays
	% use, surfaces regularly cleaned	2%	2%	7%
	% use, surfaces highly polluted	5%	2%	8%

### RECOMMENDATIONS

Do not use on bright finished light alloys at concentrations exceeding 5%.

