

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS #: 31305 KASSILLA GMP 220

Date of the previous version: 2012-05-15 Revision Date: 2012-11-15 Version 1.01

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name KASSILLA GMP 220

Number FRB
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Gear oil.

1.3. Details of the supplier of the safety data sheet

Supplier TOTAL LUBRIFIANTS

562 Avenue du Parc de L'ile 92029 Nanterre Cedex Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

For further information, please contact:

Contact Point HSE

E-mail Address rm.msds-lubs@total.com

1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél: +33 (0)1 45 42 59 59

In France: - PARIS: Hopital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel: 01.40.05.48.48. - MARSEILLE: Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel: 04.91.75.25.25. - LYON: Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel: 04.72.11.69.11. - NANCY: Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel: 03.83.32.36.36 ou le SAMU: Tel (15)

HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



KASSILLA GMP 220

Revision Date: 2012-11-15 Version 1.01

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

Classification

R52-53

2.2. Label elements

Labelled according to

Directive 1999/45/EC

Hazard pictograms

none

R-phrase(s)

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S-phrase(s)

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets Contains Long chain alkylamine. May produce an allergic reaction.

2.3. Other hazards

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

Environmental properties

Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

| Chemical Name | EC-No | REACH registration No | CAS-No | Weight % | Classification (Dir. 67/548) | Classification (Reg. 1272/2008) |
|-------------------------|-------|-----------------------|--------|----------|--|------------------------------------|
| Long chain alkylamine | 1 | no data available | ۸ | <0.5 | Xn;R22-48/20 C;R34 T;R23/24 R43 N;R50-53 | |
| Alkyl phosphonate | - | no data available | ۸ | <0.3 | Xi;R38-41 N;R51-53 | |
| Long chain alkenylamine | - | no data available | ۸ | <0.3 | Xn;R22 C;R35 N;R50 | |

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16



KASSILLA GMP 220

Revision Date: 2012-11-15 **Version** 1.01

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Rinse immediately with plenty

of water and seek medical advice. Keep eye wide open while rinsing.

Skin contact Remove contaminated clothing and shoes. Wash skin with soap and water. Wash

contaminated clothing before reuse.

High pressure jets may cause skin damage. In this case, the casualty should be sent

immediately to hospital. Wash off with soap and water.

Inhalation Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper

respiratory tract.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately. If swallowed, do not induce vomiting -

seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact Not classified.

Skin contact Not classified. May produce an allergic reaction. High pressure injection of the products

under the skin may have very serious consequences even though no symptom or injury

may be apparent.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.



KASSILLA GMP 220

Revision Date: 2012-11-15 Version 1.01

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Advice for fire-fighters

Special protective equipment for

fire-fighters

General Information

Wear self-contained breathing apparatus and protective suit.

Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing Other information

water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Keep in suitable, closed containers for disposal. Soak up with inert absorbent

material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according

to local / national regulations (see section 13).

6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling



KASSILLA GMP 220

Revision Date: 2012-11-15 Version 1.01

Advice on safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Prevention of fire and explosion

Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.

Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Do not wash off with:. Fuel. Solvent. Abrasive. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in a bunded area. Store in original container. Keep in properly labeled containers.

Materials to Avoid

Strong oxidizing agents.

7.3. Specific end uses

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits oil mist: 10mg/m³, for 15 minutes

oil mist: 5mg/m3, for 8 hours

Legend See section 16

8.2. Exposure controls

Occupational Exposure Controls



KASSILLA GMP 220

Revision Date: 2012-11-15 Version 1.01

Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal Protective Equipment

General Information Protective engineering solutions should be implemented and in use before personal

protective equipment is considered.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN

14387). The use of breathing apparatus must comply strictly with the manufacturer's

instructions and the regulations governing their choices and uses.

Eye Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Do not Skin and body protection

> wear rings, watches or anything similar which can retain the product and may give rise to skin conditions. Extended and repeated contacts with skin can cause skin ailments which

may be aggravated by minor injuries or contact with soiled clothing.

Hydrocarbon-proof gloves. Fluorinated rubber, Nitrile rubber. Please observe the **Hand Protection**

> instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of

the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color black Physical State @20°C liquid

No information available Odor

Property Values Remarks Method pН

Not applicable Boiling point/boiling range Not applicable

238 °C Flash point Cleveland Open Cup (COC) 460 °F Cleveland Open Cup (COC).

Evaporation rate No information available

No information available Flammability Limits in Air



KASSILLA GMP 220

Revision Date: 2012-11-15 **Version** 1.01

Vapor Pressure

Vapor density Density

Water solubility

Water solubility
Solubility in other solvents

logPow Autoignition temperature

Viscosity, kinematic

Explosive properties
Oxidizing Properties
Possibility of hazardous reactions

9.2. Other information

No information available No information available

@ 15 °C

No information available No information available No information available No information available

@ 40 °C @ 100 °C ISO 3104 ISO 3104

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

896 kg/m3

220 mm2/s

19.02 mm2/s

Not explosive Not applicable

Not applicable

10.2. Chemical stability

Stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Heat, flames and sparks. Take precautionary measures against static discharges. Strong exidizing agents

oxidizing agents.

10.5. Incompatible Materials

Materials to Avoid

Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects



KASSILLA GMP 220

Revision Date: 2012-11-15 Version 1.01

Acute toxicity Local effects Product Information

Skin contact . Not classified. May produce an allergic reaction. High pressure injection of the products

under the skin may have very serious consequences even though no symptom or injury

This product does not present any known or suspected reproductive hazards.

may be apparent.

Eye contact . Not classified.

Inhalation . Not classified. Inhalation of vapors in high concentration may cause irritation of

respiratory system.

Ingestion . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea

Acute toxicity - Component Information

Sensitization

Sensitization Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction.

Specific effects

CarcinogenicityThis product is not classified carcinogenic. **Mutagenicity**This product is not classified as mutagenic.

Reproductive toxicity Repeated Dose Toxicity

Subchronic toxicity

Target Organ Effects (STOT)

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

No information available.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information



KASSILLA GMP 220

Revision Date: 2012-11-15 Version 1.01

No information available.

Chronic aquatic toxicity • **Product Information**

No information available.

Chronic aquatic toxicity - Component Information

No information available.

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

No information available.

logPow

Component Information

No information available No information available.

12.4. Mobility in soil

Soil

Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air

Loss by evaporation is limited.

Water

Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

12.6. Other adverse effects

General Information

No information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods



KASSILLA GMP 220

Revision Date: 2012-11-15 **Version** 1.01

Waste from Residues / Unused

Products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. If recycling is not

practicable, dispose of in compliance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EWC Waste Disposal No.

The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was

used.

Other information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

14. TRANSPORT INFORMATION

ADR/RID

Not regulated

IMDG/IMO

Not regulated

ICAO/IATA

Not regulated

ADN

Not regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

EINECS/ELINCS TSCA DSL ENCS IECSC KECL PICCS AICS -



KASSILLA GMP 220

Revision Date: 2012-11-15 Version 1.01

NZIoC

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment

No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R34 - Causes burns

R43 - May cause sensitization by skin contact

R22 - Harmful if swallowed

R41 - Risk of serious damage to eyes

R38 - Irritating to skin

R35 - Causes severe burns

R50 - Very toxic to aquatic organisms

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R23/24 - Toxic by inhalation and in contact with skin

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Abbreviations, acronyms

Legend Section 8

+ Sensitizer * Skin designation

* C: Carcinogen

M: Mutagen R: Toxic to reproduction

Revision Date: 2012-11-15

Revision Note*** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006



KASSILLA GMP 220

Revision Date: 2012-11-15 **Version** 1.01

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet